




6867 Wooster Pike
 Medina, Ohio 44256
 (330) 725-4949
 (330) 273-3700 Cleve.
 (330) 239-4949 Akron
 (330) 725-6730 Fax



Model Profile

2004 Diamond SPEC™ 7400 SBA 4x2 (SA625)

- MISSION:** Requested GVWR: 33000. Calc. GVWR: 33000
- DIMENSION:** Wheelbase: 199, CA: 131.9, Axle to Frame: 75
- ENGINE, DIESEL:** {International DT466 High Torque} Electro-Hydraulic Fuel System, 50 State, 250 H P @ 2300/2400 RPM, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 260 Peak HP (Max)
- TRANSMISSION, MANUAL:** {Spicer PS110-7B} 7-Speed Manual; With Magnetic Fill Plug
- CLUTCH:** {Eaton Fuller Solo 1402} Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Free Travel Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity
- AXLE, FRONT, I-BEAM TYPE:** {Meritor MFS-12-143A} Wide Track, 71.5" King Pin Center, 12,000-lb Capacity
- AXLE, REAR, SINGLE:** {Meritor RS-21-145} Single Reduction, Standard Track, 21,000-lb Capacity, With Driver Controlled Main Locking Differential and 200 Series Wheel Ends
 Gear Ratio: 4.11
- CAB:** Conventional, Steel
- TIRE, FRONT:** (2) 315/80R22.5 UNISTEEL G291 (GOODYEAR) 491 rev/mile, load range J, 18 ply
- TIRE, REAR:** (4) 11R22.5 UNISTEEL G177 (GOODYEAR) 493 rev/mile, load range H, 16 ply
- SUSPENSION, RR, SPRING, SINGLE:** Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring

MAR 23 2003

MARK OVERHOLT
TIGER GENERAL, INC.
 6867 WOOSTER PIKE
 MEDINA, OH 44256
 330-725-4949 FAX 725-6730

<u>Description</u>	<u>List</u> (USA DOLLAR)
Base Chassis, Model 7400 SBA 4X2 with 199 Wheelbase, 131.9 CA, and 75 Axle to Frame.	\$56,176.00
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 456.0" (11582mm) Maximum OAL	\$0.00
BUMPER, FRONT Steel, Swept Back	\$0.00
<u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color	
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	\$214.00
WHEELBASE RANGE 189" (480cm) Through and Including 256" (650cm)	\$427.00
AXLE, FRONT, I-BEAM TYPE {Meritor MFS-12-143A} Wide Track, 71.5" King Pin Center, 12,000-lb Capacity	\$225.00
SPRINGS, FRONT AUXILIARY Rubber	\$98.00
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers	\$65.00
<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : DUST SHIELDS, REAR BRAKE : DUST SHIELDS, FRONT BRAKE : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : SPRING BRAKE MODULATOR VALVE : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;	
DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	\$0.00
AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
AIR DRYER {Bendix AD-9} With Heater	\$433.00
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers	\$0.00
BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake	\$0.00
AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM	\$0.00
STEERING COLUMN Tilting	\$120.00
STEERING WHEEL 2-Spoke, 18" Diam., Black	\$0.00
STEERING GEAR {Sheppard M-100} Power	\$0.00
EXHAUST SYSTEM Single, Horizontal Muffler; Vertical Bright Finish Tail Pipe; Includes Bright Finish Tail Pipe Guard; Frame Mounted Right Side with Back of Cab Muffler	\$294.00
TAIL PIPE Turnback Type, Bright Finish. for Single Bright Exhaust	\$60.00
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
<u>Includes</u>	

Description

List
(USA DOLLAR)

: BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab	
: TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature)	
: HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels	
: HORN, ELECTRIC Single	
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
: STARTER SWITCH Electric Key Operated	
: RUNNING LIGHT (2) Daytime	
: TURN SIGNALS, FRONT Flush Mounted Include Reflectors and Auxiliary Side Turn Signals, Solid State Flashers;	
: DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostics	
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
: WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature,	
: WIRING, CHASSIS Color Coded and Continuously Numbered	
 CIGAR LIGHTER	\$15.00
 HORN, ELECTRIC (2)	\$17.00
 BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	\$153.00
 BATTERY SYSTEM {International} Maintenance-Free (2) 12-Volt 1100CCA Total	\$0.00
 TAIL LIGHT WIRING MODIFIED Includes: Separate Wiring for Standard Lt & Rt Tail Lights, With 8.0' of Extra Cable; Separate Wiring for Lt & Rt Body Mounted Tail Lights, With 8.0' of Extra Cable	\$40.00
 RADIO {Panasonic CQ-5400U} AM/FM Premium Stereo, With CD Player, Weatherband, Clock With Alarm, CD Changer Interface and Controls, Auxiliary Input Jack, With Multiple Coaxial Speakers	\$516.00
 <u>Includes</u>	
: SPEAKERS IN CAB (4) Coaxial with Premium Interior	
: SPEAKERS IN CAB (2) Coaxial with Deluxe Interior	
 POWER SOURCE, TERMINAL TYPE 2-Post	\$35.00
 HORN, AIR {Grover} Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail	\$0.00
 ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	\$141.00
 ALTERNATOR {Leece-Neville 8LHA2054UAH} 12 Volt, 110 Amp, Brush Type	\$0.00
 INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$50.00
 STARTING MOTOR {Leece-Neville M100R} 12-Volt; less Thermal Over-Crank Protection	\$0.00
 CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$0.00
 GRILLE Stationary	\$95.00
 BUG SCREEN Front End; Mounted Behind Grille	\$126.00
 FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
 PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
 <u>Includes</u>	
: PAINT SCHEMATIC ID LETTERS "GN"	
 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
 CLUTCH {Eaton Fuller Solo 1402} Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Free Travel Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity	\$287.00

Includes

<u>Description</u>	<u>List</u> (USA DOLLAR)
: CLUTCH RELEASE BEARING Greasable	
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	\$82.00
ENGINE, DIESEL {International DT466 High Torque} Electro-Hydraulic Fuel System, 50 State, 250 HP @ 2300/2400 RPM, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 260 Peak HP (Max)	\$1,627.00
<u>Includes</u>	
: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel	
: WET TYPE CYLINDER SLEEVES	
: ENGINE SHUTDOWN Electric, Key Operated	
: GOVERNOR Road Speed, Electronic	
: ENGINE OIL DRAIN PLUG Magnetic	
: OIL FILTER, ENGINE Spin-On Type	
: ENGINE OIL CHANGE SYSTEM 30 Quart Capacity	
: DAMPER, CRANKSHAFT Viscous	
: FAN Optimized Position	
: FUEL FILTER Engine Mounted	
FAN DRIVE {Horton Drivemaster} Automatic On/Off Type Control, With Normally Closed Temperature Control; Use With International I6 Engine	\$315.00
<u>Includes</u>	
: FAN Nylon	
RADIATOR Cross Flow, Series System; Aluminum Radiator Core; 940 SqIn Area and 1025 SqIn Charge Air Cooler	\$0.00
<u>Includes</u>	
: ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C)	
: DEAERATION SYSTEM with Polypropylene Tank	
: RADIATOR HOSES Premium, Rubber	
AIR CLEANER Dual Element, With Integral Pre Cleaner	\$30.00
ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control	\$41.00
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	\$0.00
FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	\$26.00
TRANSMISSION, MANUAL {Spicer PS110-7B} 7-Speed Manual; With Magnetic Fill Plug	\$982.00
<u>Includes</u>	
: CLUTCH BRAKE Torque Limiting	
: FILL PLUG, MAGNETIC	
AXLE, REAR, SINGLE {Meritor RS-21-145} Single Reduction, Standard Track, 21,000-lb Capacity, With Driver Controlled Main Locking Differential and 200 Series Wheel Ends Gear Ratio: 4.11	\$925.00
<u>Includes</u>	
: REAR AXLE DRAIN PLUG (1) Magnetic	
SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	\$157.00
FUEL TANK (2) Top Draw; D Style, Steel, 50 U.S. Gal., Total Capacity 100 U.S. Gal., 378 L; 16" Tank Depth, Mounted Under Cab Left and Right Side	\$460.00
<u>Includes</u>	
: FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends	
CAB Conventional, Steel	\$0.00

Description

List
(USA DOLLAR)

Includes

: CLEARANCE/MARKER LIGHTS (5) Flush Mounted
 : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door
 : FLOOR COVERING Rubber, Black
 : COAT HOOK Located on Rear Wall, Centered Above Rear Window
 : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side
 : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side
 : STEP (2) Two Steps Per Door
 : GLASS, ALL WINDOWS Tinted

GAUGE CLUSTER English With English Electronic Speedometer

\$0.00

Includes

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout
 : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
 : GAUGE CLUSTER GAUGES (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel

\$27.00

SEAT, DRIVER {National} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Air Lumbar Support

\$180.00

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back

\$0.00

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Side, With All Heated Heads, Thermostatically Controlled

\$97.00

GRAB HANDLE Chrome; Towel Bar Type Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only

\$44.00

INSTRUMENT PANEL Center Section, Flat Panel

\$0.00

AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster

\$801.00

Includes

: REFRIGERANT Hydrofluorocarbon HFC-134A
 : FRESH AIR FILTER
 : HEATER HOSES Premium

FRESH AIR FILTER for HVAC

\$0.00

CAB INTERIOR TRIM Deluxe

\$0.00

Includes

: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets
 : "A" PILLAR COVER Molded Plastic, Smoke Gray
 : HEADLINER Printed Cloth
 : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out)
 : DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Timed Theater Dimming
 : SUN VISOR (2) Padded Vinyl Integral to Console with Toll Ticket Strap and with Integral Extenders
 : STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door
 : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered
 : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors

CAB REAR SUSPENSION Air Bag Type

\$0.00

Vehicle Specifications
2004 7400 SBA 4x2 (SA625)

March 17, 2003

Description

List
(USA DOLLAR)

WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims;
With .500" Thick Disc, Non-Standard Offset and Steel Hubs

\$276.00

Includes

: WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings

WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC
Rims; With Steel Hubs

\$0.00

Includes

: WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings

(4) TIRE, REAR 11R22.5 UNISTEEL G177 (GOODYEAR) 493 rev/mile, load range H, 16 ply

\$700.00

(2) TIRE, FRONT 315/80R22.5 UNISTEEL G291 (GOODYEAR) 491 rev/mile, load range J, 18 ply

\$478.00

Total of Product Features

Services Section:

COMPETITIVE SURCHARGE CREDIT

FEDERAL EMISSIONS for 2002; for International VT365, T444E, DT466 and DT530 Engines

WRTY,LTD, BASIC VEHICLE DSPEC {Diamond SPEC} To 24-Month/Unlimited Mileage; Includes Diamond Emergency
Breakdown Service; With 90-Day Towing

Total of Service Features

Cab Schematic 100GN

Location 1: 2303, RED

Chassis Schematic N/A

Total List Price Including Options:

MAR 23 2003

MARK OVERHOLT
TIGER GENERAL, INC.
6867 WOOSTER PIKE
MEDINA, OH 44256
330-725-4949 FAX 725-6730